


# SINTB

Sinter bush, oil soaked



## Product description:

Sinter bush, oil soaked

## Article properties:

Base Material	Sinter bronze
Self-lubricating	Yes
Lubricant	Oil
Surface Pressure P	50 N/mm <sup>2</sup>
Sliding speed v	300 m/min
P*v-value	1600 N/mm <sup>2</sup> x m/min
Operating temperature	-12°C /+90°C
Friction coefficient	0,09

## Variants:

Articlenumber	Article name	Inner diameter d	Outer diameter D	Length L	f
994020404	SINTB 2-4-4	2	4	4	0,3
994030604	SINTB 3-6-4	3	6	4	0,3
994030606	SINTB 3-6-6	3	6	6	0,3
994030610	SINTB 3-6-10	3	6	10	0,3
994030804	SINTB 3-8-4	3	8	4	0,3
994040606	SINTB 4-6-6	4	6	6	0,3
994040704	SINTB 4-7-4	4	7	4	0,3
994040708	SINTB 4-7-8	4	7	8	0,3
994040712	SINTB 4-7-12	4	7	12	0,3
994040804	SINTB 4-8-4	4	8	4	0,3
994040806	SINTB 4-8-6	4	8	6	0,3
994040808	SINTB 4-8-8	4	8	8	0,3
994040812	SINTB 4-8-12	4	8	12	0,3
994041008	SINTB 4-10-8	4	10	8	0,3
994050808	SINTB 5-8-8	5	8	8	0,3
994050810	SINTB 5-8-10	5	8	10	0,3
994050816	SINTB 5-8-16	5	8	16	0,3
994051006	SINTB 5-10-6	5	10	6	0,3
994051008	SINTB 5-10-8	5	10	8	0,3
994051010	SINTB 5-10-10	5	10	10	0,3
994051210	SINTB 5-12-10	5	12	10	0,3

# SINTB

Sinter bush, oil soaked



Articlenumber	Article name	Inner diameter d	Outer diameter D	Length L	f
994060904	SINTB 6-9-4	6	9	4	0,3
994060906	SINTB 6-9-6	6	9	6	0,3
994060910	SINTB 6-9-10	6	9	10	0,3
994060916	SINTB 6-9-16	6	9	16	0,3
994061004	SINTB 6-10-4	6	10	4	0,3
994061006	SINTB 6-10-6	6	10	6	0,3
994061010	SINTB 6-10-10	6	10	10	0,3
994061016	SINTB 6-10-16	6	10	16	0,3
994061206	SINTB 6-12-6	6	12	6	0,3
994061208	SINTB 6-12-8	6	12	8	0,3
994061212	SINTB 6-12-12	6	12	12	0,3
994061216	SINTB 6-12-16	6	12	16	0,3
994061412	SINTB 6-14-12	6	14	12	0,3
994081106	SINTB 8-11-6	8	11	6	0,3
994081108	SINTB 8-11-8	8	11	8	0,3
994081112	SINTB 8-11-12	8	11	12	0,3
994081116	SINTB 8-11-16	8	11	16	0,3
994081206	SINTB 8-12-6	8	12	6	0,3
994081208	SINTB 8-12-8	8	12	8	0,3
994081212	SINTB 8-12-12	8	12	12	0,3
994081216	SINTB 8-12-16	8	12	16	0,3
994081408	SINTB 8-14-8	8	14	8	0,3
994081412	SINTB 8-14-12	8	14	12	0,3
994081416	SINTB 8-14-16	8	14	16	0,3
994081420	SINTB 8-14-20	8	14	20	0,3
994081816	SINTB 8-18-16	8	18	16	0,3
994101310	SINTB 10-13-10	10	13	10	0,5
994101316	SINTB 10-13-16	10	13	16	0,5
994101408	SINTB 10-14-8	10	14	8	0,5
994101410	SINTB 10-14-10	10	14	10	0,5
994101412	SINTB 10-14-12	10	14	12	0,5
994101416	SINTB 10-14-16	10	14	16	0,5
994101510	SINTB 10-15-10	10	15	10	0,5
994101516	SINTB 10-15-16	10	15	16	0,5
994101520	SINTB 10-15-20	10	15	20	0,5
994101608	SINTB 10-16-8	10	16	8	0,5
994101610	SINTB 10-16-10	10	16	10	0,5
994101616	SINTB 10-16-16	10	16	16	0,5
994101620	SINTB 10-16-20	10	16	20	0,5
994102220	SINTB 10-22-20	10	22	20	0,5
994121512	SINTB 12-15-12	12	15	12	0,5
994121516	SINTB 12-15-16	12	15	16	0,5
994121520	SINTB 12-15-20	12	15	20	0,5
994121608	SINTB 12-16-8	12	16	8	0,5
994121612	SINTB 12-16-12	12	16	12	0,5
994121620	SINTB 12-16-20	12	16	20	0,5
994121808	SINTB 12-18-8	12	18	8	0,5

# SINTB

Sinter bush, oil soaked



Articlenumber	Article name	Inner diameter d	Outer diameter D	Length L	f
994121812	SINTB 12-18-12	12	18	12	0,5
994121816	SINTB 12-18-16	12	18	16	0,5
994121820	SINTB 12-18-20	12	18	20	0,5
994121825	SINTB 12-18-25	12	18	25	0,5
994122525	SINTB 12-25-25	12	25	25	0,5
994141810	SINTB 14-18-10	14	18	10	0,5
994141814	SINTB 14-18-14	14	18	14	0,5
994141820	SINTB 14-18-20	14	18	20	0,5
994142010	SINTB 14-20-10	14	20	10	0,5
994142012	SINTB 14-20-12	14	20	12	0,5
994142014	SINTB 14-20-14	14	20	14	0,5
994142020	SINTB 14-20-20	14	20	20	0,5
994142030	SINTB 14-20-30	14	20	30	0,5
994142830	SINTB 14-28-30	14	28	30	0,5
994151910	SINTB 15-19-10	15	19	10	0,5
994151915	SINTB 15-19-15	15	19	15	0,5
994151925	SINTB 15-19-25	15	19	25	0,5
994152010	SINTB 15-20-10	15	20	10	0,5
994152015	SINTB 15-20-15	15	20	15	0,5
994152020	SINTB 15-20-20	15	20	20	0,5
994152025	SINTB 15-20-25	15	20	25	0,5
994152030	SINTB 15-20-30	15	20	30	0,5
994152110	SINTB 15-21-10	15	21	10	0,5
994152115	SINTB 15-21-15	15	21	15	0,5
994152125	SINTB 15-21-25	15	21	25	0,5
994152216	SINTB 15-22-16	15	22	16	0,5
994152220	SINTB 15-22-20	15	22	20	0,5
994152230	SINTB 15-22-30	15	22	30	0,5
994153030	SINTB 15-30-30	15	30	30	0,5
994162012	SINTB 16-20-12	16	20	12	0,5
994162015	SINTB 16-20-15	16	20	15	0,5
994162016	SINTB 16-20-16	16	20	16	0,5
994162020	SINTB 16-20-20	16	20	20	0,5
994162025	SINTB 16-20-25	16	20	25	0,5
994162212	SINTB 16-22-12	16	22	12	0,5
994162216	SINTB 16-22-16	16	22	16	0,5
994162220	SINTB 16-22-20	16	22	20	0,5
994162225	SINTB 16-22-25	16	22	25	0,5
994162230	SINTB 16-22-30	16	22	30	0,5
994163230	SINTB 16-32-30	16	32	30	0,5
994182212	SINTB 18-22-12	18	22	12	0,5
994182218	SINTB 18-22-18	18	22	18	0,5
994182230	SINTB 18-22-30	18	22	30	0,5
994182412	SINTB 18-24-12	18	24	12	0,5
994182418	SINTB 18-24-18	18	24	18	0,5
994182430	SINTB 18-24-30	18	24	30	0,5
994182516	SINTB 18-25-16	18	25	16	0,5

# SINTB

Sinter bush, oil soaked



Articlenumber	Article name	Inner diameter d	Outer diameter D	Length L	f
994182520	SINTB 18-25-20	18	25	20	0,5
994182530	SINTB 18-25-30	18	25	30	0,8
994183530	SINTB 18-35-30	18	35	30	0,8
994202515	SINTB 20-25-15	20	25	15	0,8
994202520	SINTB 20-25-20	20	25	20	0,8
994202525	SINTB 20-25-25	20	25	25	0,8
994202615	SINTB 20-26-15	20	26	15	0,8
994202620	SINTB 20-26-20	20	26	20	0,8
994202625	SINTB 20-26-25	20	26	25	0,8
994202630	SINTB 20-26-30	20	26	30	0,8
994202820	SINTB 20-28-20	20	28	20	0,8
994202830	SINTB 20-28-30	20	28	30	0,8
994202840	SINTB 20-28-40	20	28	40	0,8
994204040	SINTB 20-40-40	20	40	40	0,8
994222715	SINTB 22-27-15	22	27	15	0,8
994222720	SINTB 22-27-20	22	27	20	0,8
994222725	SINTB 22-27-25	22	27	25	0,8
994223220	SINTB 22-32-20	22	32	20	0,8
994223230	SINTB 22-32-30	22	32	30	0,8
994253020	SINTB 25-30-20	25	30	20	0,8
994253025	SINTB 25-30-25	25	30	25	0,8
994253030	SINTB 25-30-30	25	30	30	0,8
994253220	SINTB 25-32-20	25	32	20	0,8
994253225	SINTB 25-32-25	25	32	25	0,8
994253230	SINTB 25-32-30	25	32	30	0,8
994253235	SINTB 25-32-35	25	32	35	0,8
994253525	SINTB 25-35-25	25	35	25	0,8
994253535	SINTB 25-35-35	25	35	35	0,8
994253550	SINTB 25-35-50	25	35	50	0,8
994254535	SINTB 25-45-35	25	45	35	0,8
994303520	SINTB 30-35-20	30	35	20	0,8
994303525	SINTB 30-35-25	30	35	25	0,8
994303530	SINTB 30-35-30	30	35	30	0,8
994303820	SINTB 30-38-20	30	38	20	0,8
994303825	SINTB 30-38-25	30	38	25	0,8
994303830	SINTB 30-38-30	30	38	30	0,8
994303840	SINTB 30-38-40	30	38	40	0,8
994304015	SINTB 30-40-15	30	40	15	0,8
994304030	SINTB 30-40-30	30	40	30	0,8
994304045	SINTB 30-40-45	30	40	45	0,8
994304060	SINTB 30-40-60	30	40	60	0,8
994305060	SINTB 30-50-60	30	50	60	0,8
994354125	SINTB 35-41-25	35	41	25	0,8
994354135	SINTB 35-41-35	35	41	35	0,8
994354140	SINTB 35-41-40	35	41	40	0,8
994354525	SINTB 35-45-25	35	45	25	0,8
994354535	SINTB 35-45-35	35	45	35	0,8

# SINTB

Sinter bush, oil soaked



Articlenumber	Article name	Inner diameter d	Outer diameter D	Length L	f
994354540	SINTB 35-45-40	35	45	40	0,8
994354550	SINTB 35-45-50	35	45	50	0,8
994354570	SINTB 35-45-70	35	45	70	0,8
994404630	SINTB 40-46-30	40	46	30	0,8
994404640	SINTB 40-46-40	40	46	40	0,8
994404650	SINTB 40-46-50	40	46	50	0,8
994405030	SINTB 40-50-30	40	50	30	0,8
994405040	SINTB 40-50-40	40	50	40	0,8
994405050	SINTB 40-50-50	40	50	50	0,8
994405060	SINTB 40-50-60	40	50	60	0,8
994405080	SINTB 40-50-80	40	50	80	0,8
994455135	SINTB 45-51-35	45	51	35	0,8
994455145	SINTB 45-51-45	45	51	45	0,8
994455155	SINTB 45-51-55	45	51	55	0,8
994455535	SINTB 45-55-35	45	55	35	0,8
994455545	SINTB 45-55-45	45	55	45	0,8
994455555	SINTB 45-55-55	45	55	55	0,8
994455560	SINTB 45-55-60	45	55	60	0,8
994455565	SINTB 45-55-65	45	55	65	0,8
994456580	SINTB 45-65-80	45	65	80	0,8
994506035	SINTB 50-60-35	50	60	35	0,8
994506050	SINTB 50-60-50	50	60	50	0,8
994506070	SINTB 50-60-70	50	60	70	0,8
994506100	SINTB 50-60-100	50	60	100	1
994507070	SINTB 50-70-70	50	70	70	1
994556540	SINTB 55-65-40	55	65	40	1
994556555	SINTB 55-65-55	55	65	55	1
994556570	SINTB 55-65-70	55	65	70	1
994557070	SINTB 55-70-70	55	70	70	1
994606850	SINTB 60-68-50	60	68	50	1
994606860	SINTB 60-68-60	60	68	60	1
994606870	SINTB 60-68-70	60	68	70	1
994607050	SINTB 60-70-50	60	70	50	1
994607060	SINTB 60-70-60	60	70	60	1
994607250	SINTB 60-72-50	60	72	50	1
994607260	SINTB 60-72-60	60	72	60	1
994607270	SINTB 60-72-70	60	72	70	1
994607560	SINTB 60-75-60	60	75	60	1
994607590	SINTB 60-75-90	60	75	90	1
994608590	SINTB 60-85-90	60	85	90	1
994657560	SINTB 65-75-60	65	75	60	1
994657590	SINTB 65-75-90	65	75	90	1
994658060	SINTB 65-80-60	65	80	60	1
994658090	SINTB 65-80-90	65	80	90	1
994708060	SINTB 70-80-60	70	80	60	1
994708090	SINTB 70-80-90	70	80	90	1
994708560	SINTB 70-85-60	70	85	60	1

## SINTB

Sinter bush, oil soaked



Articlenumber	Article name	Inner diameter d	Outer diameter D	Length L	f
994708590	SINTB 70-85-90	70	85	90	1
994758570	SINTB 75-85-70	75	85	70	1
994758600	SINTB 75-85-100	75	85	100	1
994759070	SINTB 75-90-70	75	90	70	1
994759100	SINTB 75-90-100	75	90	100	2
994761010	SINTB 75-100-100	75	100	100	2
994809070	SINTB 80-90-70	80	90	70	2
994809100	SINTB 80-90-100	80	90	100	2
994809570	SINTB 80-95-70	80	95	70	2
994809600	SINTB 80-95-100	80	95	100	2
994810510	SINTB 80-105-100	80	105	100	2
994859510	SINTB 85-95-100	85	95	100	2
994860100	SINTB 85-100-100	85	100	100	2
994910580	SINTB 90-105-80	90	105	80	2
994911080	SINTB 90-110-80	90	110	80	2
994991280	SINTB 100-120-80	100	120	80	2